

indass

YOUR PARTNER FOR THE SWARF TREATMENT

SWARF TREATMENT PLANTS
COOLANT FILTRATION
SCRAPS AND OFFCUTS CONVEYING LINES

ROBOTLINE

Our patented automatic spinning system able to spin any type of material without cross contamination.

WHAT DOES ROBOTLINE CONSIST OF?

- Basket loading station
- Robotic handler
- Patented automatic centrifuge
- Basket discharge station

Scan me



ROBOTLINE

BENEFITS:

- The basket is completely closed. No leakage at all
- Single plant for different materials
- No cross contamination among materials or oils/coolant
- One single plant both for oil and emulsion
- Capable of spinning chipped and long stringy swarf
- No crusher required
- Bar ends accepted
- The swarf basket is designed to be the centrifuge basket
- The spun swarf is discharged automatically via robotic automation, without any operator's intervention
- Manual or automatic loading of the basket
- As an option, several baskets can be automatically handled, by installing extra roller conveyors.

THE PHASES OF ROBOTLINE

1. TRANSPORT

The conical blind basket, placed under each machine tool, is picked up by the operator and transported to the centrifuge station.
The material in the basket can be detected visually or by a sensor.



2. LOADING

Once the basket has been placed in the loading station, the robotic handler will pick it up and automatically insert it into the centrifuge.



3. SPINNING

In the spinning phase, the chips are separated from the coolant.
Residual moisture usually <=2 %
No cross contamination among materials occurs.



4. DISCHARGE

At the end of the phase, the robotic handler will automatically pick the basket up and tilt the spun swarf into the dedicated discharge station.



DONKEY

Robotline can be implemented through the laser-guided vehicle “Donkey”. “Donkey” is the solution for the automatic intralogistics handling.

- Compact and reliable;
- Without blind areas;
- Mecanum wheels with omnidirectional movement;
- Capable of working 24 hours a day without interruptions, thanks to its interchangeable lithium battery system;
- Automatic battery replacement at the charging station thus eliminating any unproductive time.

Scan me

Charging station

VACUUM PLANTS

The swarf vacuum system is suitable for the automatic conveying of chips from the machine tools to a centralized collection station, without any operator's intervention or floor conveying.

Vacuum station for fine aluminium swarf

Scan me

VACUUM SYSTEM

indass

Vacuum station equipped with grinder

BENEFITS:

- Automatic conveying of swarf from multiple machine tools to a centralized collection point
- Adaptable over time
- No civil works
- No handling of bins
- Unmanned operation
- Swarf suction directly under the machine tool

Vacuum plant discharging into a spinning system

Vacuum plant feeding a briquetting machine

Scan me

AUTOMATIC SPINNING SYSTEM "MINISYSTEM"



The throughput of the system varies according to the treated material:

- 180-200 kg / h * for short brass swarf, with density 1 kg = 1dm3
- 160-180 kg / h * for short steel swarf, with density 1 kg = 1dm3
- 70-80 kg / h * for short aluminum swarf

***Indicative data**

ADDITIONAL MODULES FOR MINISYSTEM



Minisystem with skiphoist and 800 Lt conveyor hopper volume



Minisystem with crusher



Minisystem with skiphoist and crusher



Minisystem with conveyor to feed container equipped with 3 discharge chutes

indass

MINISYSTEM

Minisystem fed by a skiphoist

Minisystem with crusher

Minisystem with crusher and automatic discharge into a container

BENEFITS:

- High coolant recovery (residual moisture <=2%)
- Modular and placed on a skid
- Compact

Minisystem with skiphoist, crusher and discharge into container

SWARF TREATMENT PLANTS
“SYSTEM”

Crushing and spinning system.
Capacity: 3 ton/h for aluminium swarf

The swarf treatment plants are modular systems, for the crushing, spinning and storage of chips.

Scan me

Automatic crushing system equipped with magnetic separator

Automatic spinning system

SWARF TREATMENT PLANTS

Automatic crushing and briquetting system

BENEFITS:

- Volume reduction
- Coolant recovery
- Higher value of swarf
- Short return on investment from the sale of briquettes
- Lower storage, transport and handling costs
- Environmentally friendly operation

Automatic crushing and spinning system equipped with skiphoist

Detail of the spun swarf discharge area

Spinning system

Swarf crushing and spinning plant with silos

Automatic spinning plant with 6m3 pre-storage hopper

APPLICATIONS:

- Mechanical industry
- Taps
- Fittings
- Aeronautics
- Automotive

Swarf crushing and spinning system equipped with skiphoist

SWARF TREATMENT PLANTS

VERTICAL SILOS

- Large volumes in a small space
- Safe against theft
- Low environmental impact
- Cleanliness of the surrounding area
- Modulars
- Earthquake proof

HORIZONTAL SILOS

Horizontal silos equipped with load cells

BENEFITS:

- Low height
- They can be placed inside the factory
- Automatic chip weighing
- Standard capacity 15 m³

VERTICAL CENTRIFUGES:

MODEL SCED5



SCED5 centrifuge equipped with bar end separator

Shredding and spinning unit under the machine tool conveyor

MODEL SCED10



SCED10 centrifuge

Grinder and SCED10 centrifuge

Model	SCED 5	SCED 10
Capacity kg/h*	100	200
Power	0,5 kw	4 kw
Dim. (mm)	500 x 500 x 495	860 x 710 x 960
Weight	95 kg	550 Kg

* Approximate data for brass swarf

HORIZONTAL CENTRIFUGES:



STRENGTHS:

- The centrifuge that overturns the centrifugation technique with horizontal basket
- Best results at the lowest cost

Model	SCE20	SCE30	SCE40
Capacity kg/h*	500	1500	4000

* Approximate data for brass swarf

GRINDERS

Suitable for cutting the stringy swarf. The shredders are basically composed of a grinding and hydraulic device that pushes the chips towards the rotating roller. We also design grinders equipped with bar end separator device.

Grinder and centrifuge fed by a conveyor

Technical data	MT4
Power	7,5 kw
Capacity kg/h*	150
Dim. (mm)	1450 x 800 x 700

* Approximate data for steel swarf

CRUSHERS

The best performances of the crushers are achieved when continuously fed. They are equipped with a bar end ejector device. Crushers are especially employed as centralized units.

SCR20 crusher

SCR40 crusher

Technical data	SCR10	SCR20	SCR40
Power kw	7,5	15	45
Capacity kg/h*	500	1000	4000

* Approximate data for steel swarf

IN-GROUND LINES FOR SWARF CONVEYING

Detail of in-ground lines

Detail of harpoon conveyor

Harpoon conveyor line

indass



CONVEYING LINES FOR STRINGY SWARF



Detail of a turning chute

Conveyors for stringy swarf

Hinged belt conveyor line

Aluminium conveying line

FILTRATION UNITS



Centralized unit equipped with paper filter, tramp oil skimmer, dosing unit and automatic topping up



Oil filtration unit with automatic topping up

Self-cleaning unit for both neat oil and emulsion



Centralized unit to filter and top up the machine tools

Scan me

indass

CONVEYORS FOR OFFCUTS

Swarf conveying line, under a press

- Hinged belt conveyors
- Up to 2 meters wide
- Up to 100 meters long
- Pitch belt of 4, 6 or 8 inches

Scan me

Aluminium and steel offcuts conveying line

Heavy conveyor for scraps discharge

HEAVY CONVEYORS SUITABLE FOR THE TRANSPORT OF:

- Metal, oily and sharp scraps
- Hot and heavy pieces
- Die castings

HEAVY CONVEYORS

indass

In-ground line for offcuts

Detail of the discharge into container

indass

Swarf treatment plants
Coolant filtration
Scraps and offcuts conveying lines

INDUSTRIE ASSOCIATE S.R.L.
Via Giorgio La Pira, 12
25021 Bagnolo Mella (Brescia) Italy
Tel. 0039 030 6829811 - Fax 0039 030 6829888
info@indass.it - **www.indass.it**

2021